



HELLENIC NOTICES TO MARINERS

Monthly edition 9

30 September 2016

Notices from 176 up to 196

CONTENTS		
		Page
I	Index of Hellenic Notices to Mariners	3
II	Updates to Nautical Charts	5
III	Updates to List of Lights	10
IV	Amendments to Sailing Directions	11
V	Updates to Catalogue of Nautical Charts and Publications	13

MAIL ADDRESS: HYDROGRAPHIC SERVICE
SAFETY OF NAVIGATION DIVISION
TGN 1040, ATHENS

Tel: (+30) 210 6551771
(+30) 210 6551770
(+30) 210 6551806

Fax: (+30) 210 6517811
(+30) 210 6551728

E-mail: nasf_hnhs@navy.mil.gr

The Hellenic Notices to Mariners are available on the following web site of
Hydrographic Service: www.hnhs.gr

Captain D. Evangelidis HN
Director

The information provided with the notices to mariners is related to nautical charts and nautical publications issued by the H.N.H.S and must be depicted in its nautical charts and other navigational publications.

The geographic positions referred to in this publication are related to the largest-scale chart, unless stated otherwise.

The limits of sectors and visibility arcs as well, as the alignment of direction lights and leading lights, are given as seen by an observer from seaward.

All bearings are referenced to true North and are measured clockwise from 000° to 359°.

Responsibility for publication of Annual Notices to Mariners and Monthly Volumes is undertaken by the Safety of Navigation Division of the HNHS.

Mariners are kindly requested to immediately notify the Hellenic Navy Hydrographic Service (T.G.N 1040 Tel: (+30) 2106551771 Fax: (+30) 2106517811) in case they discover either new or possible navigational dangers.

Unlit or unreliable lights must be reported immediately to: Lighthouse Authorities 18510 PIRAEUS

In addition to postal methods the following communications methods are also available.

Tel: (+30) 210 4581508, Fax: (+30) 210 4581410, E-mail: yf.epix@navy.mil.gr with notification to the Hydrographic Service. This kind of information is crucial and contributes to safety of navigation.

Notices, NAVTEX messages, Navwarns to mariners, Weather bulletins (METEO) and Bulletin messages for leisure boats, are available on www.hnhs.gr

Users can supply the Annual Notice to Mariners as well as the monthly edition (not free of charge) as it is defined in the Nautical Publications of the Hellenic Navy Hydrographic Service.

**INDEX OF HELLENIC NOTICES TO MARINERS
AFFECTING NAUTICAL CHARTS AND LIST OF LIGHTS**

NOTICES	PAGES	CHART No-NAUTICAL PUBLICATIONS
176	5	CHART: 432 Edition N. Chart (WGS 84)
177	6	CHART: 212/1 (INT 3493)
178	6	CHART: 030
179	6	CHART: 22 (INT 3418)
180	7	CHART: 4
181	7	CHART: 42
182	7	CHART: 34
183	8	CHART: 415
184	8	CHART: 421 (INT 3732)
185	9	CHART: 421/2
186	9	CHART: 423 (INT 3734)
187	9	CHART: 321/1 (INT 3777)
188	11	LIST OF LIGHTS
189	15	PILOT A´
190	15	PILOT A´
193	23	PILOT D´
194	23	PILOT D´
195	23	PILOT D´
196	25	Catalogue of Nautical Charts And Nautical Publications

**INDEX OF HELLENIC NAUTICAL CHARTS AND
LIST OF LIGHTS BEING AFFECTED BY THE HELLENIC
NOTICES TO MARINERS**

CHART No – Nautical Publications	NOTICES
CHART : 4	180
CHART : 22 (INT 3418)	179
CHART : 030	178
CHART : 34	182
CHART : 42	181
CHART : 212/1 (INT 3493)	177
CHART : 321/1 (INT 3777)	187
CHART : 415	183
CHART : 421 (INT 3732)	184
CHART : 421/2	185
CHART : 423 (INT 3734)	186
CHART : 432 Edition N. Chart (WGS84)	176
LIST OF LIGHTS	188
PILOT A´	189
PILOT A´	190
PILOT D´	193
PILOT D´	194
PILOT D´	195
Catalogue of Nautical Charts And Nautical Publications	196

II

Notice Nr. 176/16

MEDITERRANEAN SEA - ELLAS - New Edition - Chart Permanently Withdrawn. Νέα

1. Published and are available the new chart 432 at (WGS-84).

	<u>Title</u>	<u>Scale</u> <u>1:</u>	<u>Έκδοση</u>
432	KRITI IS.N. – WEST PART	100.000	AUG 2016

2. On publication of the above the 432 at (ED-50) is permanently withdrawn.

<u>Nr. Chart</u>	<u>Title</u>	<u>Scale</u> <u>1:</u>	<u>Έκδοση</u>
432	KRITI IS.N. – WEST PART	100.000	FEB 1998

(Information H.N.H.S.)

Notice Nr. 177/16

MEDITERRANEAN SEA – ELLAS – Ionio Sea – Kerkyra Is. – Kerkyra Port – Chart Update.

1. Insert the accompanying block, (A) in approximate position:

39° 37' 48''N - 019° 53' 38''E. (Plan «KERKYRA PORT»).

2. Insert the accompanying block, (B) in approximate position:

39° 37' 48''N - 019° 54' 27''E. (Plan «KERKYRA PORT »).

3. Insert the accompanying block, (Γ) in approximate position:

39° 37' 48''N - 019° 55' 06''E. (Plan «KERKYRA PORT »).

4. Insert the accompanying block in approximate position:

39° 37' 48''N - 019° 54' 30''E.

CHART: **212/1** (INT 3493) «APPROACHES AND KERKYRA PORT» (Plan «KERKYRA PORT» (1,2,3), **212/1** (INT 3493) «APPROACHES AND KERKYRA PORT » (4) [134/2016].

(Information: H.N.H.S.)

II

Notice Nr. **178/16**

MEDITERRANEAN SEA – ELLAS – Ionio Sea – South of Kakava Shoal. Wreck.

Insert: $\theta\pi$,: 38° 01' 33,1''N - 020° 47' 43,8''E.

CHART: **030** [179/2014].

(Information: Kefallinia Port Authorities)

Notice Nr. **179/16**

MEDITERRANEAN SEA – ELLAS – Ionio Sea - South of Tainaro Cape - Wreck.


Insert: $\theta\pi$,: 36° 07' 56,8''N - 022° 21' 20,1''E.

CHART: **22** (INT 3418) [116/2016].

(Information: Hellenic Rescue Center)

Notice Nr. **180/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 25' 32,6'' N - 024° 57' 11,9'' E.
2. 37° 26' 13,7'' N - 024° 58' 19,2'' E.
3. 37° 23' 37,7'' N - 025° 02' 17,2'' E.
4. 37° 22' 16,2'' N - 025° 04' 28,2'' E.
5. 37° 20' 03,3'' N - 025° 04' 57,9'' E.
6. 37° 09' 53,6'' N - 025° 14' 11,8'' E.
7. 37° 07' 34,7'' N - 025° 15' 11,8'' E.

CHART: **4** [38/2016].

(Information: H.N.H.S.)

II

Notice Nr. **181/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 25' 32,6'' N - 024° 57' 11,9'' E.
2. 37° 26' 13,7'' N - 024° 58' 19,2'' E.
3. 37° 26' 17,4'' N - 024° 59' 40,1'' E.
4. 37° 23' 37,7'' N - 025° 02' 17,2'' E.
5. 37° 22' 16,2'' N - 025° 04' 28,2'' E.
6. 37° 20' 03,3'' N - 025° 04' 57,9'' E.
7. 37° 09' 53,6'' N - 025° 14' 11,8'' E.
8. 37° 07' 34,7'' N - 025° 15' 11,8'' E.

CHART: **42** [20/2016].

(Information: H.N.H.S)

Notice Nr. **182/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

1. 37° 10' 20,4'' N - 025° 13' 40,0'' E. (North chart frame)
2. 37° 10' 04,7'' N - 025° 13' 52,7'' E.
3. 37° 09' 58,6'' N - 025° 14' 06,8'' E.
4. 37° 09' 50,7'' N - 025° 14' 13,7'' E.
5. 37° 09' 38,0'' N - 025° 14' 12,4'' E.
6. 37° 09' 13,1'' N - 025° 14' 21,5'' E.
7. 37° 08' 12,7'' N - 025° 15' 00,4'' E.
8. 37° 07' 34,7'' N - 025° 15' 11,8'' E.


CHART: **34** «BAYS AND PORTS OF PAROS – SXOINOYSA – DONOYSA – IRAKLEIAS AND KOYFONISOY» (Plan «NAOYSA BAY.»)

(Information: H.N.H.S.)

II

Notice Nr. **183/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 23' 24,0'' N - 025° 02' 41,3'' E. (North chart frame)
2. 37° 23' 16,2'' N - 025° 04' 28,2'' E.
3. 37° 23' 27,3'' N - 025° 04' 48,6'' E.
4. 37° 20' 03,3'' N - 025° 04' 57,9'' E.
5. 37° 18' 18,1'' N - 025° 06' 08,8'' E.
6. 37° 13' 23,0'' N - 025° 10' 44,9'' E.
7. 37° 12' 02,9'' N - 025° 12' 00,0'' A. (East chart frame)

CHART: **415** [157/2016].

(Information: H.N.H.S.)

Notice Nr. **184/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 25' 32,6'' B - 024° 57' 11,9'' A.
2. 37° 26' 13,7'' B - 024° 58' 19,2'' A.
3. 37° 26' 17,4'' B - 024° 59' 40,2'' A.
4. 37° 23' 37,8'' B - 025° 02' 17,2'' A.
5. 37° 22' 16,2'' B - 025° 04' 28,2'' A.
6. 37° 20' 03,3'' B - 025° 04' 57,9'' A.
7. 37° 09' 53,6'' B - 025° 14' 11,8'' A.
8. 37° 07' 34,7'' B - 025° 15' 11,8'' A.


XEE: **421**(INT3732) [163/2016].

(Information: H.N.H.S.)

II

Notice Nr. **185/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 25' 32,6'' N - 024° 57' 11,9'' E.
2. 37° 25' 34,9'' N - 024° 57' 34,5'' E.
3. 37° 26' 12,2'' N - 024° 58' 15,9'' E.
4. 37° 26' 13,7'' N - 024° 58' 19,2'' E.
5. 37° 26' 17,4'' N - 024° 59' 40,1'' E.
6. 37° 26' 16,1'' N - 024° 59' 43,8'' E.
7. 37° 25' 48,0'' N - 025° 00' 00,0'' E.
8. 37° 25' 27,8'' N - 025° 00' 41,0'' E. (East chart frame)

CHART: **421/2** [158/2016].

(Information: H.N.H.S.)

Notice Nr. **186/16**

MEDITERRANEAN SEA – ELLAS – Aegean Sea - Siros Island - Paros Island - Submarine Cable.

Insert:  joining:

1. 37° 13' 08,0'' N - 025° 10' 56,4'' E. (North chart frame)
2. 37° 12' 38,1'' N - 025° 11' 23,5'' E.
3. 37° 10' 04,7'' N - 025° 13' 52,7'' E.
4. 37° 09' 58,6'' N - 025° 14' 06,8'' E.
5. 37° 09' 31,8'' N - 025° 14' 54,3'' E.
6. 37° 07' 34,7'' N - 025° 15' 11,8'' E.


CHART: **423**(INT 3734) [77/2016].

(Information: H.N.H.S.)

Notice Nr. **187/16**

MEDITERRANEAN SEA – ELLAS – Thrakiko Sea- Kavala Gulf- West of Kavalas Port - Rapsani Coast - Temporary Light.

Relative Navwarn 654,754/16

Insert:  Y QY 3M (temp) ,:

- a. 40° 56' 02'' N - 024° 23' 42'' E
- b. 40° 56' 03,8'' N - 024° 23' 45'' E.

CHART : **321/1**(INT 3777) «PORT AND GULF OF KAVALA »Plan  «KAVALA PORT » [47/2016].

(Information: Kavala Port Authorities)

III

GUIDELINES FOR CORRECTIONS TO THE LIST OF LIGHTS (EDN. 2015)

1. The amendments (changes, additions, deletions) to the List of Lights publication are included in volume No IV of the monthly editions of Notices to Mariners and are given in columns, as follows:
 - b. First Column:** The number of the Hellenic List of Lights (light numbers) which is affected by the amendments is shown. If the number shown does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the corresponding column of the List of Lights, between the ΑΕΦ.
 - c. Other Columns:**
 - (1) The columns that are not affected are marked with two dashes (--). Data in the columns that are affected should be written down, deleting all old data at the same time.
 - (2) Instructions for special cases (deleting columns or all columns of a cancelled light) are given in *italics*.
2. It is recommended to record small amendments by hand addition of a new “ΑΕΦ” or larger amendments should be cut out and pasted on the List of Lights.
3. Reference for the record of the monthly corrections is written in the following table.

Notice Nr. **188/16**

1	2	3	4	5	6	7	8
0120 <i>E 3758</i>	--	--	39 37,7 19 55,2	--	8 --	Metal framework with red band. Height 6m Fig.19	--
0130 <i>E3760</i>	--	--	--	--	7 --	Metal framework with gallery metal column and red band. Height 5,9m Fig. 21.	--
3095 <i>E4788,5</i>	--	--	--	--	10 -- 9	--	--
5123 <i>E4208,5</i>	--	--	--	--	8 --	Height 6,8m	--
5123,1 <i>E4208,8</i>	--	--	--	--	4 --	Height 3,9m	--
7035 <i>Bouy</i>			39 52,4 25 15,6				
7062 <i>E 4576,6</i>	--	--	--	--	-- --	Height 7,8m	--
7467 <i>E4647,8</i>	--	--	--	--	11 --	Height 6,3m	--
7469 <i>E4647,85</i>	--	--	38 14,6 26 06,4		-- --	Height 6,3m	--

IV

Amendments to Sailing Directions

Notice Nr. 189/16

PILOT A (EDITION 2015) - Othonoi Island - Avlaki Port – Ammos Port - Pilot Update.

318

R 27 Replace 1,6 **with** 3,3 up to 2,3 mtrs.

R 29 Replace 100 **with** 250

R 30 Replace SE to NE **with** E.

R 31 Replace A breakwater..... 18m **with** A wooden mole with a length about 120 mtrs lies parallel and in the inner side of the above mentioned breakwater.

319

L 25 Replace 170 **with** 80m

L 27 Replace 7,5 m **with** about 6 m.

L 33 Replace 160 meters **with** 180 meters.

320

L 33 Replace Spoil ground **with** a wreck with a minimum depth of 8,6 metres.

(Information H.N.H.S)

Notice Nr. 190/16

PILOT A (EDITION 2015) –Ionio Sea- Kerkyra Island- Kerkyra Port- Pilot Update.

294

L17 After near them **Insert** : From the east the basin is protected by a breakwater witch extents for about 140 meters to west. A light operate at its head. (Metal framework with gallery metal column and red band.) (39° 37, 6´ N - 019° 15´ 55, 1´ E.)

Caution Along the outside of the breakwater there are at intervals blocks.

L30 Replace 1,6 – 2,5 **with** 2 up to 3.

L 34- 35 Replace with: The new harbor is protected by the west by a curved mole with a total length of 1070 meters. A light operate at its head. (Metal framework with gallery metal column and green band.) (39° 38, 0´ N - 019° 54, 6´ E.) The depths at the outer side varies from 9,5 meters up to 10,7 while in the inner side varies from 9,3 up to 11 meters. A rump is constructed close to the moles elbow and a semi sunk ship lies close

IV

to its inner root. From the east is protected by a mole which extends 320 meters to NW. A light operate at its head. (White hexagonal hut with column and red band.) (39° 37, 8' N - 019° 54, 8' E.) The depths close to the sides are from 11 up to 3 meters. The inner shores of the port are quayed with depths from 4,5 up to 10 meters.

Caution: There are at intervals sunken blocks with minimum depth 11,5 meters at the center of the port.

R 17 Delete: light buoy.

Replace: 17 with 20.

R 31 Delete: Spoil..... areas.

295

R 26 After quayed **Insert:** A wreck lies close to the mole.

Notice Nr. **193/06**

PILOT D (EDITION 2010) – Aegean Sea- Limnos Island-Agios Pavlos Bay - Fishing Shelter - Pateli.

61

R1 After Anchorage Insert : A fishing shelter lies at a distance 0,2 miles NW from Cape Aspokavos. The shelter is protected by a breakwater which extends for 25 meters to NW. The depths at the center of the shelter are about 1,5 meter while close to its coast which are quayed less than a meter.

(Information: H.N.H.S.)

Notice Nr.**194/06**

PILOT D (EDITION 2010) – Thrakiko Sea – Kavala Gulf- west of Kavala Port-Lights.

18

R 44 Including existing supplement amendment. After Breakwater Insert: The ends of which are marked by temporary flashing boys.

(Information: Kavala Port Authorities.)

Notice Nr.**195/06**

PILOT D (EDITION 2010) – Aegean Sea- Limnos Island-Kontias Bay-Pilot Update.

61

L 13-15 Delete from: There is made.

(Information: H.N.H.S.)

V

Notice Nr. 196/16

**Mediterranean Sea - Hellas - New Edition, Chart Permanently Withdrawn
Catalogue of Nautical Charts and Nautical Publications Update - (15th Edition
2014)**

Pages 45

Chart No	Title of chart	Scale 1:	Edition	New Edition
432	Kriti I. – Western Part (WGS – 84)	100.000	2016	-

(Information: H.N.H.S.)