



# HELLENIC NOTICES TO MARINERS

Monthly Edition 3  
31<sup>st</sup> March 2025

Notices from 58 up to 73

---

## CONTENTS

---

	<b>Page</b>
<b>I</b> Index of Notices to Mariners	3
<b>II</b> Publication List	5
<b>III</b> Hellenic Notices to Mariners. Updates to Nautical Charts	6
<b>IV</b> Updates to Hellenic List of Lights	11
<b>V</b> Updates to Hellenic Sailing Directions	13
<b>VI</b> Updates to Hellenic Nautical Publications	15
<b>VII</b> Navwarn NAVAREA III	16

**Post:** HYDROGRAPHIC SERVICE  
SAFETY OF NAVIGATION DIVISION  
TGN 1040, ATHENS

**Phone:** (+30) 210 655 1772  
(+30) 210 655 1806

**e-mail:** [nasf\\_hnhs@navy.mil.gr](mailto:nasf_hnhs@navy.mil.gr)

**Web:** [www.hnhs.gr](http://www.hnhs.gr)

Captain Ioánnis Asteríou HN  
Director

The information provided with the notices to mariners is related to nautical charts and nautical publications issued by the H.N.H.S and must be depicted in its nautical charts and other navigational publications.

The geographic positions referred to in this publication are related to the largest - scale chart, unless stated otherwise.

The limits of sectors and of arcs of visibility, and the alignment of direction lights and leading lights, are given **as seen by an observer from seaward**.

**All bearings refer to the true compass and are measured clockwise from 000° to 359°.**

Responsibility for publication of Annual Notices to Mariners and Monthly Volumes is undertaken by the Safety of Navigation Division of the HNHS.

Mariners are kindly requested to immediately notify the Hellenic Navy Hydrographic Service (T.G.N 1040 Tel: (+30) 210 655 1771, in case they discover either new or possible navigational dangers.

Unlit or unreliable lights must be reported immediately to: Lighthouse Authorities 18510 PIRAEUS.

In addition to postal methods the following communications methods are also available.

Tel: (+30) 210 458 1508, e-mail: [yf\\_epix@navy.mil.gr](mailto:yf_epix@navy.mil.gr) with notification to the Hydrographic Service. This kind of information is crucial and contributes to safety of navigation.

Notices, NAVTEX messages, Navwarns to mariners, Weather bulletins (METEO) and Bulletin messages for leisure boats, are available on [www.hnhs.gr](http://www.hnhs.gr).

Users can supply the Annual Notice to Mariners as well as the monthly edition (not free of charge) as it is defined in the Nautical Publications of the Hellenic Navy Hydrographic Service.

**INDEX OF NOTICES TO MARINERS (NtMs)  
AFFECTING NAUTICAL CHARTS AND PUBLICATIONS**

<b>Notice No.</b>	<b>Page</b>	<b>Chart No. - Nautical Publication</b>
<b>58</b>	5	B.A. Chart: <b>1005, 2104 INT 3661</b>
<b>59</b>	6	Chart: <b>412/8</b>
<b>60</b>	6	Chart: <b>INT 3762 412/11, WGS84</b>
<b>61</b>	7	Chart: <b>412 INT 3760</b>
<b>62</b>	7	Chart: <b>414</b>
<b>63</b>	8	Chart: <b>412/1</b>
<b>64</b>	8	Chart: <b>3132, WGS84</b>
<b>65</b>	8	Chart: <b>INT 3773 311/1, WGS84, INT 3732 3111</b>
<b>66</b>	9	Chart: <b>3221</b>
<b>67</b>	9	Chart: <b>321, WGS84</b>
<b>68</b>	11	List of Lights
<b>69</b>	13	Pilot Vol. B´
<b>70</b>	13	Pilot Vol. B´
<b>71</b>	13	Pilot Vol. C´
<b>72</b>	14	Pilot Vol. C´
<b>73</b>	15	Catalogue of Nautical Charts & Nautical Publications

## INDEX OF CHARTS AND PUBLICATIONS AFFECTED

Chart No. - Nautical Publication	Notice
Chart: <b>INT 3773 311/1</b> , WGS84	<b>65</b>
Chart: <b>321</b> , WGS84	<b>67</b>
Chart: <b>412 INT 3760</b>	<b>61</b>
Chart: <b>412/1</b>	<b>63</b>
Chart: <b>412/8</b>	<b>59</b>
Chart: <b>INT 3762 412/11</b> , WGS84	<b>60</b>
Chart: <b>414</b>	<b>62</b>
Chart: <b>INT 3732 3111</b>	<b>65</b>
Chart: <b>3132</b> , WGS84	<b>64</b>
Chart: <b>3221</b>	<b>66</b>
B.A. Chart: <b>1005, 2104 INT 3661</b>	<b>58</b>
List of Lights	<b>68</b>
Pilot Vol. B´	<b>69</b>
Pilot Vol. B´	<b>70</b>
Pilot Vol. C´	<b>71</b>
Pilot Vol. C´	<b>72</b>
Catalogue of Nautical Charts & Nautical Publications	<b>73</b>

## II

**Notice No. 58/2025**  
**MEDITERRANEAN SEA - HELLÁS - Edition/ New Edition - Permanently Withdrawn Admiralty Chart.**

1. New Editions of Admiralty Charts:

<b>Chart Number</b>	<b>Title</b>	<b>Scale 1:</b>	<b>Edition/ N. Edition</b>
<b>1005</b>	Türkiye - Marmara Denizi, Marmara Adasi to Istanbul Bogazi (The Bosphorus).	150,000	NOV. 2024
<b>2104</b> <b>INT 3661</b>	Türkiye - South Coast, Iskenderun to Yakacik.	25,000	NOV. 2024

2. Admiralty Charts Permanently Withdrawn:

<b>Chart Number</b>	<b>Title</b>
<b>1005</b>	Turkey - Marmara Denizi, Marmara Adasi to Istanbul Bogazi (The Bosphorus).
<b>2104</b> <b>INT 3661</b>	Turkey - South Coast, Iskenderun to Yakacik.

(Information: NMs/Wk. Ed. 47/2024)

### III

#### Notice No. 59/2025

**MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Órmos Váris (Várkizas)  
- Anchoring Prohibited.**

1. Insert: , joining:

- a. 37° 48' 38,8" N - 023° 48' 04,8" E
- b. 37° 48' 39,1" N - 023° 48' 17,1" E
- c. 37° 48' 48,7" N - 023° 48' 17,0" E
- d. 37° 48' 57,5" N - 023° 49' 07,2" E
- e. 37° 48' 48,7" N - 023° 49' 13,1" E
- f. 37° 48' 51,3" N - 023° 49' 22,3" E

2. Insert the indication “(Μάιος - Σεπτέμβριος)” externally and along the symbol centred on: 37° 48' 52" N - 023° 48' 42" E.

**Chart: 412/8** [previous update 17/2024]

(Information: Saronikós Port Authorities)

#### Notice No. 60/2025

**MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Póros Themistokléous -  
Ákra Kéos - Amend the Lights Characteristics - Chart Update.**

1. Amend the elevation and range of a light, to: F. G. 6m 3M,  
in position: 37° 56,85' N - 023° 36,37' E (mole head).

2. Amend to: 2 F.G 10m 3M (vert) (priv),  
the lights characteristics in position:

- a. 37° 56,76' B - 023° 36,78' A (north head, SOCONY jetty)
- b. 37° 56,73' B - 023° 36,79' A (south head, SOCONY jetty)

3. In the two Compass roses of chart **INT 3762 412/11** should be corrected the indication of the Magnetic Variation **from: 5° 53.1' E 2024 (5.1 E),  
to: 5° 15.2' E 2025 (5.8' E).**

**Chart: INT 3762 412/11** [previous update 39/2025] **WGS84** DATUM

(Information: HNHS)

### III

#### Notice No. 61/2025

#### MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Nísos Póros - Órmos Pógonos - Submarine Power Cable.

Insert submarine power cable:  , joining:

1. 37° 31' 11,3" N - 023° 25' 37,4" E (*shore*)
2. 37° 31' 03,2" N - 023° 25' 27,8" E
3. 37° 31' 10,6" N - 023° 24' 48,9" E
4. 37° 31' 23,9" N - 023° 24' 42,7" E (*shore*)

Chart: 412 INT 3760 "SARONIKÓS GULF" [*previous update 19/2025*]

(Information: DEDDIE)

#### Notice No. 62/2025

#### MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Nísos Póros - Órmos Pógonos - Submarine Power Cable.

Insert submarine power cable:  , joining:

1. 37° 31' 11,3" N - 023° 25' 37,4" E (*shore*)
2. 37° 31' 03,2" N - 023° 25' 27,8" E
3. 37° 31' 10,6" N - 023° 24' 48,9" E
4. 37° 31' 23,9" N - 023° 24' 42,7" E (*shore*)

Chart: 414 [*previous update 44/2022*]

(Information: DEDDIE)

### III

#### **Notice No. 63/2025**

#### **MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Kólpos Megáron - Páchi Harbour - Amend the Lights Characteristics - Chart Update.**

Amend the elevation of a light, to: 7m, in position:  
37° 58' 27" N - 023° 21' 45,6" E (mole head).

**Chart: 412/1** «ΜÉGARA GULF AND STRAIT» [*previous update 41/2024*]

(Information: HNHS)

#### **Notice No. 64/2025**

#### **MEDITERRANEAN SEA - HELLÁS - Vóreios Evvoïkós Kólpos - Amend the Elevation of a Light - Chart Update.**

1. Amend the elevation of a light, to: 8m, in position:  
38° 33.91' N - 023° 35.87' E (northern side).

2. Amend the elevation of a light, to: 8m, in position:  
38° 33.83' N - 023° 35.91' E (southern side).

**Chart: 3132** "NORTH EVVOÏKÓS GULF ARKÍ TSA Pt. TO ÉVRIPOS PASS" (Plan A "SOYA AND ORE TERMINALS" [*previous update 71/2022*] **WGS84** DATUM

(Information: HNHS)

#### **Notice No. 65/2025**

#### **MEDITERRANEAN SEA - HELLÁS - Thermaikós Kólpos - Órmos Thessaloníki - Artificial Islet - Change of Light Characteristics.**

1. Amend light to, Q.Y 3M (occas), in positions:

- a. 40° 38,02' N - 022° 53,30' E
- b. 40° 38,02' N - 022° 53,33' E
- c. 40° 38,07' N - 022° 53,42' E

2. Amend light to, Q. 3M (occas), in position:  
40° 38,08' N - 022° 53,45' E



### III

3. Amend light to, Q.Y 3M, in position:  
40° 38' 04" N - 022° 53' 20" E

**Chart: INT 3773 311/1** (1, 2) [*previous update 105/2024*], **WGS84 DATUM**, **INT 3772 3111** «APPROACHES TO THESSALONÍKI GULF AND HARBOUR» (3) [*previous update 87/2024*]

(Information: HNHS)

**Notice No. 66/2025**  
**MEDITERRANEAN SEA - HELLÁS - Thrakikó Sea - Firing Practice Area - Chart Update.**

1. Insert the symbol: , joining:

- a. 40° 51' 33,6" N - 025° 28' 22,0" E
- b. 40° 51' 33,6" N - 025° 30' 02,0" E
- c. 40° 52' 03,6" N - 025° 37' 22,0" E
- d. 40° 51' 33,6" N - 025° 37' 22,0" E
- e. 40° 50' 53,6" N - 025° 41' 42,0" E
- f. 40° 35' 23,6" N - 025° 41' 42,0" E
- g. 40° 35' 23,6" N - 025° 29' 02,0" E
- h. 40° 51' 33,6" N - 025° 28' 22,0" E

2. Insert: «**Περιοχή ασκήσεων πυρών**»  
(*βλέπε Σημείωση*)

centred on: 40° 50' 00" B - 025° 35' 00" A

**Chart: 3221** [*previous update 24/2025*]

(Information: HNHS)

**Notice No. 67/2025**  
**MEDITERRANEAN SEA - HELLÁS - Thrakikó Sea - Nísos Thásos, Keramotí - Submarine Power Cable.**

Insert submarine power cable: , joining:

### III

1. 40° 51' 13,1" N - 024° 41' 40,9" E (*shore*)
2. 40° 51' 03,5" N - 024° 41' 13,6" E
3. 40° 49' 56,4" N - 024° 40' 09,7" E
4. 40° 47' 41,6" N - 024° 39' 35,3" E
5. 40° 47' 21,8" N - 024° 39' 41,8" E (*shore*)

**Chart: 321** [*previous update 88/2024*], **WGS84** DATUM

(Information: DEDDIE)

## IV

### GUIDELINES FOR CORRECTIONS TO THE LIST OF LIGHTS (Edition 2025)

1. The amendments (changes, additions, deletions) to the List of Lights publication are included in volume No IV of the monthly editions of Notices to Mariners and are given in columns, as follows:

**a. First Column:** The number of the Hellenic List of Lights (light number) which is affected by the amendments is shown. If the number shown does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the corresponding column of the List of Lights, between the ΑΕΦ.

**b. Other Columns:**

(i) The columns that are not affected are marked with two dashes (--). Data in the columns that are affected should be written down, deleting all old data at the same time.

(ii) Instructions for special cases (deleting columns or all columns of a cancelled light) are given in *italics*.

2. It is recommended to record small amendments by hand addition of a new “ΑΕΦ” or larger amendments should be cut out and pasted on the List of Lights.

3. Reference for the record of the monthly corrections is written in the following table.

### UPDATES TO LIST OF LIGHTS

#### Notice No. 68/2025

1	2	3	4	5	6	7	8
4580	--	--	--	--	7	-	-
<i>N 4163</i>							Height 4.5m
4580.1	--	--	--	--	7	-	-
<i>N 4163.2</i>							Height 5.5m
4827	--	--	--	--	6	3	-
<i>N.....</i>							
5498			38 52.76 23 26.34		7	3	
<i>N.....</i>	ΑΓΙΑ ΆΝΝΑ	W Mole. Head		Fl R 3s 0.3+ <u>2.7</u> =3 δ/s		Metal framework with gallery, metal column and red band. Fig. 21	

# IV

1	2	3	4	5	6	7	8
<b>5498.1</b>		38 52.75 23 26.36		9	3		
<i>N.....</i>	AGÍA ÁNNA	E Mole. Head	Fl G 3s 0.3+ <u>2.7</u> =3 δ/s			Metal framework with gallery, metal column and green band. Fig. 21	
<b>5605</b>	--	--	--	8	-		
<i>N 4381.5</i>						White metal column. Height 1,5m. Fig. 22	
<b>5605.1</b>	--	--	--	8	-	Λευκή μεταλλική στήλη. Ύψος 1,5μ. Σχ. 22	
<i>N4381.51</i>			2 F R (vert)			White metal column. Height 1,5m. Fig. 22	
<b>6245</b>		40 38.02 22 53.30		-	-	-	
<i>N 4509.4</i>		W Point. Artificial Islet	Q Y 1s 0.3+ <u>0.7</u> =1δ/s				Occas. Private.
<b>6245.1</b>		40 38.02 22 53.33		5	3		
<i>N4509.32</i>		Beside the Western Light	Q Y 1s 0.3+ <u>0.7</u> =1δ/s			Metal column	Occas. Private.
<b>6245.2</b>		40 38.07 22 53.42		5	3		
<i>N4509.31</i>	EL.PE -----	Beside the Eastern Light	Q Y 1s 0.3+ <u>0.7</u> =1δ/s			Metal column	Occas. Private.
<b>6245.3</b>		40 38.08 22 53.45		-	-	-	
<i>N 4509.2</i>	EL.PE -----	E Point. Artificial Islet	Q W 1s 0.3+ <u>0.7</u> =1δ/s				Occas. Private.
<b>7128</b>		39 12.79 25 51.03		6	3		
<i>N.....</i>	SÍGRI	Fishing Port Sígri. W Mole. Head	F G			Metal framework with gallery and green band. Fig. 20	

# IV

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

7128.1

39 12.78  
25 51.07

6 3

N..... SÍGRI Fishing port. E Mole. Head.

F R

Metal framework with  
gallery column and red  
band. Fig. 20

7129

39 12.88  
25 51.09

7 3

N..... SÍGRI Sígri Port. Pier. Head.

2 F R (vert)

White metal column. Fig. 22

## V

### UPDATES TO SAILING DIRECTIONS

#### Notice No. 69/2025

**PILOT B´ (E´ EDITION 2019) - MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Órmos Váris (Várkizas) - Anchoring Prohibited - Pilot Update.**

The above notice to mariners concerns the sailing direction Vol. B´ which is only available in Greek language.

(Information: Saronikós Port Authorities)

#### Notice No. 70/2025

**PILOT B´ (E´ EDITION 2019) - MEDITERRANEAN SEA - HELLÁS - Saronikós Kólpos - Póros Themistokléous - Ákra Kéos - Amend the Lights Characteristics - Pilot Update.**

The above notice to mariners concerns the sailing direction Vol. B´ which is only available in Greek language.

(Information: HNHS)

#### Notice No. 71/2025

**PILOT C´ (1<sup>ST</sup> EDITION 2011) - MEDITERRANEAN SEA - HELLÁS - Nísos Évvoia - Nótios Evvoïkós Kólpos - Ákra Marmári until Ákra Víгла - Marine Farms Area.**

#### ***Paragraph 2.40, Page 24***

***line R 25 Add:*** “From cape Marmári to cape Víгла, two (2) areas of **Delimited fish farms installations**, have been established (Gov. Gaz. Δ´ 576/10-09-2024). The first area lies immediately N of cape Marmári, has a length of approximately 2 miles and extends up to about 4 cables offshore. The second area extends E of cape Víгла in the strait between the northern shores of the islet Eláfi and the opposite shores of the Évvoia island, has a length of approximately 6 cables and extends approximately up to about 4 cables offshore. In the area, may be established or relocated other marine farms without notice. The farms are generally marked by lit or unlit buoys or beacons. Mariners are advised to avoid these structures.”

(Information: YPEN)

## V

Notice No. 72/2025

PILOT C´ (1<sup>ST</sup> EDITION 2011) - MEDITERRANEAN SEA - HELLÁS - Nísos Évvoia  
- Nótios Evvoïkós Kólpos - Órmos Boúfalos until Ákra Alivéri - Marine Farms  
Area.

*Paragraph 2.74,*

*Page 35, line R 33-43 Replace:* “Marine farms ..... by the unit.”, *with:* “East and west of cape Kamári, two (2) areas of **Delimited fish farms installations**, have been established (Gov. Gaz. Δ´ 576/10-09-2024). They have a length of 6 cables approximately and extend up to about 6 cables offshore. In the area, may be established or relocated other marine farms without notice. The farms are generally marked by lit or unlit buoys or beacons. Mariners are advised to avoid these structures.”

(Information: YPEN)

## VI

**Notice No. 73/2025**

**MEDITERRANEAN SEA - HELLÁS - New Edition, Chart Permanently Withdrawn  
- Catalogue of Nautical Charts and Nautical Publications Update - (16<sup>th</sup> Edition  
2019).**

NONE

(Information: HNHS)



## VII

### Navigational Warnings for Mediterranean - Black Sea (area III) in force from March 25th 2025 to April 1st 2025 Relative Navwarn 13/2025

#### SECTION A

NAVAREA III Warnings originated from March 25th 2025 to April 1st 2025:

0049/25 BLACK SEA

1. DRILLING OPERATIONS, BY ABDULHAMID HAN (IMO 9705093. MMSI 271050408), ERTUGRUL BEY, MURUVVET ILHAN, MURAT ILHAN AND KUTSI ILHAN UNTIL 07 MAY 25 AREA BOUNDED BY;

42 37.68 N - 030 19.62 E

42 39.68 N - 030 19.53 E

42 39.75 N - 030 22.25 E

42 37.75 N - 030 22.33 E

WIDE BERTH REQUESTED

CANCEL THIS MESSAGE 072159Z MAY 25.

2.- CANCEL NAVAREA III 0033/25 AND THIS PARAGRAPH.

0050/25 WESTERN MEDITERRANEAN SEA

VALENCIA NAVTEX STATION INOPERATIVE UNTIL FURTHER NOTICE

COASTAL WARNINGS AVAILABLE BY GATA CAPE , LA NAO CAPE AND PALMA RADIO STATION IN MF

0051/25 WESTERN MEDITERRANEAN SEA

CANCELAR NAVAREA III 0050-25 AND THIS MSG.

0052/25 BLACK SEA

1. DRILLING OPERATIONS, BY KANUNI (IMO 9541203. MMSI 271047822), HAKAN ILHAN, OSMAN BEY AND AYBUKE BETWEEN 28 MAR25 - 12 MAY25 IN AREA BOUNDED BY;

42 49.88 N - 031 11.05 E

42 51.88 N - 031 10.99 E

42 51.92 N - 031 13.71 E

42 49.92 N - 031 13.77 E

10 NM. WIDE BERTH REQUESTED.

CANCEL THIS MESSAGE 122059 UTC MAY 25.

2.- CANCEL NAVAREA III 0023/25 AND THIS PARAGRAPH.

0053/25 MEDITERRANEAN SEA

CANCELAR NAVAREA III 0047-25 AND THIS MSG.0054/25 MEDITERRANEAN SEA, BLACK SEA AND AZOV SE

NAVAREA III WARNINGS IN FORCE ON 01 APR25 AT 0600 UTC.

2022: 0092, 0122, 0124.

2024: 0034, 0113.

2025: 0006, 0034, 0035, 0041, 0049, 0052, 0054.

1.- ONLY THOSE LESS THAN 42 DAYS OLD ARE DAILY BROADCASTED ON SAFETYNET AND SAFETYCAST AT 1200 UTC AND 2359 UTC.

## VII

- 2.- ALL NAVAREA III WARNINGS IN FORCE ARE AVAILABLE ON THE WEB-SITE [https://armada.defensa.gob.es/ihm/Aplicaciones/Navareas/Index\\_Navareas\\_xml\\_en.html](https://armada.defensa.gob.es/ihm/Aplicaciones/Navareas/Index_Navareas_xml_en.html)
- 3.- NEW NAVAREA III WARNINGS ARE ALSO PRINTED IN THE WEEKLY EDITION OF SPANISH NOTICES TO MARINERS (SECTION 5).
- 4.- CANCEL THIS MESSAGE ON 072359 UTC APR25

### SECTION B

Summary of drilling rigs updated to NAVAREA III 0054/25 warning.

Mediterranean Sea S/SE.

VALARIS DS-9 (IMO 9666572)	33-38,6N	031-03,2E
MISKAR (MMSI 6 72700000)	34-22,4N	011-52,0E
KEY MANHATTAN (IMO 8752154)	42-39,4N	014-09,4E

Adriatic Sea-Ionian Sea.

IVANA D (MMSI 992381650)	44-47,1N	013-15,8E
--------------------------	----------	-----------

Azov Sea-Black Sea

ABDULHAMID HAN (IMO 9705093)	42-38,7N	030-20,8E
YAVUZ (IMO 9503768)	42-50,8N	031-11,3E
KANUNI (IMO 9541203)	42-51,0N	031-12,4E
FATIH (IMO 9503770)	42-59,9N	031-75,8E
ANA (MMSI 264900005)	44-04,3N	029-58,2E
MODU CRIMEA 1 (IMO 8771241)	45-18,4N	033-52,6E
TAVRIDA (IMO 8763373)	45-21,4N	030-54,2E
MODU CRIMEA 2 (IMO 9522350)	45-40,2N	031-39,5E

ISSN: 2653-9209